

THE MUNICIPAL CITY COUNCIL OF PORT-LOUIS

AWARD OF PROCUREMENT CONTRACT

Notice under Section 40(7) of the Public Procurement Act

This is to notify that, following the bidding exercise carried out by the Municipal City Council of Port Louis for the Resurfacing of Roads, Construction of New Roads & Related Works within the boundaries of Port- Louis (ONB/CCPL/003/18-19), the contract has been awarded to J.Dookhun & Sons Ltd as per the table below. The rates are Vat Inclusive.

Item	/ Description	Unit	J.Dookun & Sons Ltd
	· · · · · · · · · · · · · · · · · · ·		
1	(a) Cleaning of road surface, removal of loose materials and cart away	m ²	5
	(b) weeding and cart away (if any)	m ²	5
	Scarification: Scarifying, loosening and digging of any material from carriageway, shoulder, verge including topsoil, demolition of existing concrete kerbs or wall and any features bordering		
2	the carriageway, loading and cart away. Works will also include shaping and compaction of the bottom of excavation to 95% B.S. Heavy compaction or as directed by Engineer and any miscellaneous works arising.	m ³	200
3	Excavation (in any materials) and cart away	m ³	200
4	Fill with materials from excavation	m ³	30
5	Leveling of depressions with crusher run- 0/20 prior to reshaping and for base course. Works will involve Supply, Lay & compact crusher run- 0/20 as per specifications.	m³	1560

6	Supply & Application/Spray Prime Coat 1.2L/m²	m²	30
7	Cut Asphalt using asphalt cutter or as approved by the Engineer at straight edge and Patch with Bituminous concrete (0/10), minimum thickness of 50 mm	m²	600
8	Milling of Asphalt concrete	m³	1,800
9	Supply & Application/Spray Tack Coat MC30 cut back bitumen at the rate of 0.6 Kg/m²	m ²	30
10	Reshaping or Wearing course or Base course as specified - Provide, lay &Roll Hot Premixed Bituminous Concrete Asphalt-0/14.	m³	3,000
11	Road marking-Hot Melt Thermoplastic type	m ²	200
12	Supply & transport to site & Lay Hot Premixed Bituminous Asphaltic concrete 0/10 according to specifications Application of 40mm thick (minimum thickness after compaction)Hot Premixed Bituminous Asphaltic concrete 0/10 including compacting and leveling for any width & trimming of edges	m²	690
13	Raising manholes (various dimensions) $\leq 500 \times 500 \text{ mm}$ > 500 x 500 mm	Unit	800 1,000
14	Raising of Drains/Cross Drains & Reinstatement etc. Works to include Cast in-situ Concrete kerbs (on mass concrete) of dimensions n.e. 200 x 330mm (reinft: 4Y10/ R6-250) with concrete mix class 25, hacking of concrete, dowelling as per site		

	instruction.		
	- Open drain (both borders inclusive)	m	600
	- Covered drain including RC slabs and metal grating	m	800
	(both borders inclusive)	111	800
	*		
7 .	/		
	2		
	The state of the s		
	Felling of Trees Girth- 300-600 mm	unit	500
	/		
15	Felling of Trees Girth- Above 600 mm	unit	800
	· ·		
_	*		
	Associated works	m ³	
16	(a)Supply and place & compact concrete (m3)	m^3	3,000
=	- grade15 concrete(mass)	m ³	4,100
	- grade 25 structural concrete		4,200
	- grade 30 structural concrete	m ²	125
	8- me oo an actural concrete		

	(b)Formwork: Supply & fixing	kg	45
	formwork (including striking off)	m ³	1,560
		m ³	1,200
	(c)Reinforcement :Supply & fix		75
	(d)Supply, lay & compact crusherun 0/31.5	m ²	
	(e)Spalls: Supply, lay (size: 100-200) & compact		
	(f)Geotextile: Supply & fix as per specifications	m	500
			500
	(g) Precast or cast in situ concrete kerbs as per drawings	m	
7	Type K1		500
	Type Iti	m	
	Type <i>K2</i>	(N. ±20)	500
	,*		
		m	500
	Type K3		No constitution of the con
	,'		
	Type K4		
	4		

J.Mulloo

Chief Executive

02.11.2018